

## Automation Tips

### For Agilent Workstations

#### I. APPLICATIONS

Widely used in the needs of high-throughput: Pipetting in genomics, proteomics, cytomics, immunoassays, metabolomics, and biopharmaceuticals.

#### II. FEATURES

1. Compatible with Agilent workstations.
2. Made of medical grade polypropylene, clear tips.
3. Made in Bioclean room.
4. DNase & RNase Free, Non-Pyrogen.
5. Electron beam sterilization: SAL 10<sup>-6</sup>, safe and fast, without chemical residue.

#### III. FILTER TIPS DESIGN

1. 30µl tips (384 tips/rack) and 250µl tips (96 tips/rack)
2. Racked packaging.
3. Filters eliminate errors caused by saturation vapor pressure.

#### IV. DESCRIPTION-Hot Products

Cat. No.	Description
AA21-0030S	30µl clear tips, 26.04mm, rack pack, sterile. 384 Pieces/Rack, 10 Racks/Pack, 5 Packs/Case
AA23-0250S	250µl clear filter tips, 55.5mm, rack pack, sterile. 96 Pieces/Rack, 10 Racks/Pack, 5 Packs/Case

All available: Sterile/non-sterile, low-retention/non low-retention.

#### V. STERILITY

1. Optional


#### VI. CERTIFICATION

Biologix products are manufactured completely according to the TUV ISO 9001:2008 standard.

#### VII. RESTRICTIONS


Refer to the Chemical Resistance Chart in our catalog, and available within our online catalog

#### VIII. PRODUCT PARAMETER      Dimensions=mm



**30ul-With Filter**

**30ul-Without Filter**



**250ul-With Filter**

**250ul-Without Filter**

